

Restylane[®] SILK

SUNNING
Sipping
SMOOCHING
Smiling


When all your living starts lining up

start Silking

Learn how you can smooth the living lines around your mouth. ▶

Indication: Restylane[®] Silk is indicated for submucosal implantation for lip augmentation and dermal implantation for correction of perioral rhytids in patients over the age of 21.

Please see complete Important Safety Information on back cover.



Living lines are part of aging.

Everyday life means a lot of stress to the sensitive skin around the mouth. That includes eating and drinking, talking, laughing, and all of the ways we express ourselves. So when it comes to aging, it's no wonder the living lines around the mouth continue to develop and deepen.

It's the end of the line for lips.

Restylane® Silk smoothes those living lines around your mouth and delivers fuller lips with natural-looking results. It's uniquely formulated for precision, so your specialist can create the subtle enhancement you're looking for.

See real Silk stories on the next page ▶

Restylane SILK

After treatment, swelling may be more likely in patients under 36 years, and bruising may be more likely in patients over 35 years.

Anne, 55



Before

After

Never stops laughing.

Anne's Silk story.

Years of laughing left Anne with lines around her mouth. And while she never wants to stop laughing, she was ready for a smooth lip line.

“My lip lines have actually changed. They're smoother, they're fuller. I feel sexier and more confident.”



Before




After

1.5 mL of Restylane® Silk in lips.
0.8 mL of Restylane Silk in perioral (lip) lines around the mouth.

Watch Anne's full Silk story at RestylaneSilk.com/LivingLines



Carol, 61



Before

After

Always sipping.

Carol's Silk story.

Carol says she loves to drink with straws. But all that sipping has left her with lines around her mouth.

“My lips are fuller and softer, and it's so much nicer putting lipstick on.”



Before



After

0.5 mL of Restylane Silk in lips.
0.5 mL of Restylane Silk in perioral (lip) lines around the mouth.

Actual Restylane Silk patients. Individual results may vary.

After treatment, you might notice some swelling, redness, pain, bruising, or tenderness. This is typically mild in severity and normally lasts less than 18 days in lips.

Please see complete Important Safety Information on back cover.

RestylaneSilk.com

Why Restylane® Silk?

Silk is a unique formulation of hyaluronic acid, which occurs naturally in youthful skin. This allows your specialist to help smooth the lines around your mouth and deliver natural-looking fullness to your lips.

More natural-looking Silk results.

Debbie, 59



Before

After

2.8 mL of Restylane Silk in lips and perioral (lip) lines around the mouth.

Laura, 47



Before

After

1.0 mL of Restylane Silk in lips.
0.5 mL of Restylane Silk in perioral (lip) lines around the mouth.

Actual Restylane Silk patients. Individual results may vary.

See more results at RestylaneSilk.com

Restylane Silk should not be used in patients who have severe allergies (including those to gram-positive bacteria), a history of anaphylaxis (life-threatening allergic reaction), and/or a sensitivity to local anesthetics (like lidocaine).

Please see complete Important Safety Information on back cover.



GET REWARDS FOR LOOKING YOUR BEST

Sign up at AspireRewards.com for your complimentary ASPIRE GALDERMA Rewards membership to get exclusive benefits right away.

JOIN FOR FREE.

You'll receive an instant \$20 treatment certificate when you sign up, plus access to exclusive perks and discounts on treatments you love. You also have the opportunity to start raising your status level for even more rewards.

EARN POINTS.

With ASPIRE Galderma Rewards, using Galderma aesthetic products isn't the only way to earn points. We also reward your loyalty in other unique ways throughout your aesthetic journey.

GET REWARDED.

It's easy to redeem your points for a choice of exclusive rewards, including cash back via check cards, savings on Galderma aesthetic treatments from your aesthetic healthcare professional, and shopping in our retail boutique that features brands you know and love.

RestylaneSilk.com

Restylane® SILK

It's the end of the line for lips.

Ask your specialist for *Restylane® Silk* by name.

Important Safety Information

Indication: *Restylane® Silk* is indicated for submucosal implantation for lip augmentation and dermal implantation for correction of perioral rhytids in patients over the age of 21.

Restylane Silk contains traces of gram-positive bacterial protein and is contraindicated for patients with allergies to such material or for patients with severe allergies that have required in-hospital treatment. *Restylane Silk* should not be used by patients with bleeding disorders, with hypersensitivity to amide-type local anesthetics, such as lidocaine, under the age of 22, or by women who are pregnant or breastfeeding. *Restylane Silk* should not be injected anywhere except the dermis or lip submucosa.

Use of *Restylane Silk* at the site of skin sores, pimples, rashes, hives, cysts, or infection should be postponed until healing is complete. The most commonly observed side effects are swelling, tenderness, bruising, pain, and redness at the injection site. These are typically mild in severity and resolve in 2-7 days after treatment. Serious but rare side effects include delayed onset infections, recurrence of herpetic eruptions, and superficial necrosis and scarring at the injection site. Do not implant into blood vessels. Use with caution in patients recently treated with anticoagulant or platelet inhibitors to avoid bleeding and bruising.

Treatment volume should be limited to 1.5 mL per lip per treatment and 1.0 mL for perioral rhytid correction, as greater amounts significantly increase moderate and severe injection site reactions. The safety or effectiveness of treatment in areas other than lips and perioral rhytids has not been established in controlled clinical studies.

Restylane Silk is only available through a licensed practitioner. Complete Instructions for Use are available at www.RestylaneSilk.com.



Please see the *Instructions for Use* at RestylaneSilk.com or call 1-855-425-8722. For more information, talk to your doctor. All trademarks are the property of their respective owners.
© 2015 Galderma Laboratories, L.P. MP-RES-00129 12/15